



2

MEMORANDUM REPORT BRL-MR-3929

# BRL

THE MODELING AND APPLICATION OF  
SMALL ARMS WOUND BALLISTICS

DAVID N. NEADES  
RUSSELL N. PRATHER

DTIC  
SELECTED  
SEP 13 1991  
S B D

AUGUST 1991

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

91-10248

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY  
ABERDEEN PROVING GROUND, MARYLAND

## **NOTICES**

**Destroy this report when it is no longer needed. DO NOT return it to the originator.**

**Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.**

**The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.**

**The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.**

**UNCLASSIFIED**

<b>REPORT DOCUMENTATION PAGE</b>			Form Approved OMB No 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204 Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503</small>				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE August 1991	3. REPORT TYPE AND DATES COVERED Final, Sep 89 - Apr 90	
4. TITLE AND SUBTITLE The Modeling and Application of Small Arms Wound Ballistics			5. FUNDING NUMBERS 1L162618AH80	
6. AUTHOR(S)  David N. Neades and Russell N. Prather				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER  BRL-MR-3929	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 21005-5066			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  Due to renewed interest in flechette projectiles as antipersonnel devices, attention has once again been focused on Army methods for evaluating projectile effectiveness. This report describes some of the early wound ballistic work and presents the rationale and theory behind the current methodology for assessing small arms wound effects. A bibliography of technical reports on the subject is included.				
14. SUBJECT TERMS Wound Ballistics; Incapacitation; Gelatin; Kinetic Energy Wounds; Small Arms; Flechettes			15. NUMBER OF PAGES 35	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

**UNCLASSIFIED**

**INTENTIONALLY LEFT BLANK.**

# CONTENTS

PREFACE . . . . .	v
ACKNOWLEDGEMENTS . . . . .	vii
1. INTRODUCTION . . . . .	1
2. APPLICATIONS OF WOUND BALLISTICS DATA . . . . .	1
3. REQUIREMENTS FOR WOUND BALLISTICS DATA . . . . .	2
4. MEASURES OF EFFECT . . . . .	2
5. CURRENT WEAPONS ASSESSMENT APPROACH . . . . .	3
5.1 Incapacitation Database. . . . .	4
5.2 Biomechanical Degradation. . . . .	5
5.3 Biomechanical Requirement. . . . .	5
5.4 Incapacitation Correlations. . . . .	5
6. COMPARISON OF PREDICTED P(I/H) TO COMBAT EXPERIENCE . . . . .	7
6.1 Gelatin as a Tissue Simulant. . . . .	8
6.2 Kinetic Energy Deposit as an Indicator of Projectile Effectiveness. . . . .	8
7. FLECHETTES . . . . .	9
8. CONCLUSIONS . . . . .	10
9. REFERENCES . . . . .	11
10. WOUND BALLISTICS BIBLIOGRAPHY . . . . .	15
DISTRIBUTION . . . . .	31



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

INTENTIONALLY LEFT BLANK.

## **PREFACE**

The writing of this memorandum was prompted by the need to redress undue criticisms of certain Army methods involving the estimation of antipersonnel weapon effects. These criticisms, which have appeared in recent magazine and technical journal articles, have challenged results of some Army small-arms effectiveness studies on the basis of alleged deficiencies in the underlying assessment methodology. In particular, the appropriateness of using kinetic energy as an indicator of bullet wounding potential, the importance of temporary wound cavities, and the size and formulation of tissue simulant targets were questioned and other related issues raised. All of this has resulted in an Army Materiel Command (AMC) peer review of its current position on each of these issues. It is not the intent of this memorandum to rebut individual criticisms but rather to provide a summary of correct information to inform those who are interested in an account of the rationale and experimental details behind the present wound ballistics methodology.

**INTENTIONALLY LEFT BLANK.**



## ACKNOWLEDGEMENTS

The authors would like to express their appreciation to the following members of the Wound Ballistics Review Committee for their assistance in critiquing the current Army Materiel Command small-arms effectiveness assessment methodology and reviewing the body of supporting experimental data.

Dr. Ian Bartky	U.S. Army Laboratory Command (LABCOM)
Mr. Dennis Conway	U.S. Army Armament Research, Development and Engineering Center (ARDEC)
Mr. Vernon Shisler	ARDEC
Ms. Renata Price	ARDEC
Mr. Louis Delattre	U.S. Army Materiel Systems Analysis Activity (AMSAA)
Ms. Donna Querido	AMSAA
Dr. William Bruchey	U.S. Army Ballistic Research Laboratory (BRL)
Mr. Edward Davis	BRL
Mr. John Jacobson	BRL
Dr. Larry Puckett	BRL
Dr. Michael Starks	BRL
Mr. Gary Holloway	U.S. Army Vulnerability/Lethality Assessment Management Office (VLAMO)
Mr. Larry Sturdivan	U.S. Army Chemical Research, Development and Engineering Center (CRDEC)
Mr. James Torre	U.S. Army Human Engineering Laboratory (HEL)
Dr. Wayne Copes	Consultant

Several members of the committee conducted in-depth reviews of various historical documents and other relevant literature and provided many useful suggestions during the writing of this report. Special thanks are therefore due to Dr. William Bruchey, Mr. Larry Sturdivan, Mr. Louis Delattre, and Dr. Wayne Copes.

INTENTIONALLY LEFT BLANK.

## 1. INTRODUCTION

Within the military community, the uses for projectile wound data can be grouped into two related, but different categories:

- [1] Operational - quantitative and functional in nature; domain of the weapons analyst.
- [2] Medical - somewhat more qualitative in nature and treatment oriented

Although both areas depend on an understanding of the physiological and mechanical phenomena behind the body's response to penetrating wounds, the needs and applications of the analyst and physician are quite different.

While there is common ground in the two uses of wound information, the nature and measure of what is important are different. Therefore, the respective wound ballistics methodologies used by the two communities need not be and are not the same.

## 2. APPLICATIONS OF WOUND BALLISTICS DATA

At many points in the Army Research, Development, and Acquisition (RDA) cycle, the requirement arises for quantitative comparisons of weapon performance among competing candidates. Development of these quantitative comparisons is the business of the various agencies in the Army assessment, evaluation, and analysis communities; the comparisons are used to support major milestone decisions throughout the RDA process. For weapons which are primarily designed for an antipersonnel role, one quantitative comparison of interest is the ability of the weapon to degrade a soldier's effectiveness in performing military tasks.

In any armed conflict, the objective is to neutralize the opposing force. While killing an enemy soldier certainly accomplishes this, incapacitating him (i.e., destroying or degrading his ability to complete his tactical mission) achieves the same goal and places an additional burden on the opponent's medical and logistical resources. It is actually the weapon's ability to incapacitate, not wound severity nor killing potential, that is of interest to weapon designers. Moreover, as the examples that follow show, incapacitation data are often required in a relative, rather than an absolute sense.

In 1974, the Army, using estimates of incapacitation as a measure of effectiveness, performed a comparative analysis of incapacitation as a function of fragment size for antipersonnel grenades.<sup>1</sup> For several grenades producing various sizes of preformed fragments, incapacitation levels as a function of distance from the target were computed. The results of this study were used to determine the optimum fragment size needed to defeat protective clothing and incapacitate soldiers. These results have influenced the design of subsequently developed weapons.

Another example requiring quantitative wound data involves the weapon system analyst's need to compare the effectiveness of competing systems. By establishing a numerical ranking of candidate systems on the basis of expected

incapacitation, the analyst can select the best overall system. Again, in this context, a complete characterization of the wounds produced by weapons A and B is *not* necessary, but rather a comparison of their potential for inflicting wounds which will incapacitate is preferred.

The same philosophy is applied in the development of protective equipment designed to improve the survivability of U.S. soldiers. The efficacy of new body armor materials or designs, for example, is gauged by comparing expected casualty levels associated with current and candidate personnel armor systems given certain threat munition scenarios. Here, as in the previous example, this is accomplished by evaluating the overall average effect that can be expected to result from projectiles impacting each item. To determine that effect, it is sufficient to know how a particular wound will biomechanically impair limb function.

On the other hand, the wound ballistic data requirements of the medical community are geared to the objective of providing the most efficacious medical and surgical treatment of traumatic injuries. The military surgeon needs to know the extent of a missile injury to determine what procedures and resources will be required for treatment.

### **3. REQUIREMENTS FOR WOUND BALLISTICS DATA**

Up to a point, the needs of the weapons developers and the medical users of wound information are the same. That is, both require knowledge of a projectile's ability to penetrate and cause damage as a function of shape, mass, velocity, etc. Similarly, both require information such as size, shape and location of the permanent wound cavity, and any projectile fragments in order to characterize and quantify the amount of tissue damage. The surgeon's requirements focus on actual tissue damage and are generally related to quantifying the amount of contused and nonviable tissue surrounding the wound in order to repair the damage and prevent complications.

There is, however, a third need for the weapon developer: a technique for mapping the projectile performance and tissue response information into an effectiveness model. The current technique, which has evolved over several decades of testing and research, is known as expected kinetic energy (EKE) deposit. EKE is a measure of ballistic dose which provides the link from the set of independent variables such as projectile parameters and initial conditions to incapacitation, the measure of effect.

### **4. MEASURES OF EFFECT**


As previously noted, the weapons effectiveness community uses incapacitation as a measure of weapon system performance. Since a wound is a structural derangement which *may* cause incapacitation, incapacitation is a functional rather than a structural concept, dependent upon a predefined tactical role/time relationship. Different tactical roles involve different tasks, so it follows that wounds are not always incapacitating. Similarly, the same wound received by two individuals performing different tasks may be incapacitating to one but not

the other. Within the framework of the present operational assessment methodology (described in section 5), incapacitation is directly related to an individual's ability to use his arms and legs. In order to calculate incapacitation one must consider both the biomechanical degradation caused by the wound and the biomechanical requirement that goes with the soldier's military role.

For medical purposes, lethality is probably the most widely used measure of effect for projectile wounds. In the case of sublethal injury, the surgeon needs some method to quantify the amount of damaged, necrotic tissue which surrounds, and which can extend considerable distances away from, the wound channel. The Wound Profile method of Fackler et al.,<sup>2</sup> is an example of an approach designed to provide the surgeon with the information to satisfy this requirement.

## 5. CURRENT WEAPONS ASSESSMENT APPROACH

The general form of the incapacitation model described in this section is shown in Figure 1.




**Figure 1. The General Incapacitation Model.**

(Incapacitation implies some specific biomechanical requirement dictated by tactical role and some injury-induced disability which degrades the biomechanical function.)

There are two ways, discretely or generically, in which one can arrive at an estimate of incapacitation for a given projectile. It is important to make a distinction between the discrete or specific effect that results from a single projectile/tissue encounter and the generic or predicted overall effect averaged over the entire body or body part. Specific incapacitation values are obtained either experimentally or from the ComputerMan simulation model,<sup>3</sup> which simulates the wounding process and mimics the manual analysis that was carried

out in the early fragment evaluations. Generic incapacitation values are the product of combining discrete values associated with the outcome of a number of individual events (e.g., 4-g projectiles impacting with 1000 m/s striking velocity at random locations on the abdomen of a soldier in the assault role).

To generalize over a range of mass and velocity values, regression curves are fit to these data points to allow incapacitation predictions for untested combinations (see Figure 2). The result from these curves is a number which reflects the average incapacitation level to be expected from a random hit to a particular part of the body (i.e., head and neck, thorax, abdomen, pelvis, arms, and legs). It is this generalized type of estimate that is used to evaluate weapon system effectiveness since it provides a convenient way to assess the weapon's overall antipersonnel effect. Direct comparisons between discrete and generic incapacitation values are not particularly meaningful. One would not expect close agreement between the outcome of a specific wound tract and the average outcome taken over a large number of wound tracts distributed over the same body part.



**Figure 2. Incapacitation As A Function of Ballistic Dose.**

(Families of curves are available for a variety of military stress situations and postwounding time periods.)

**5.1 Incapacitation Database.** The wound ballistics database developed over the last 30 years with the assistance of the Surgeon General's Office has established permanent wound tract information for a variety of projectiles including fragments, fragment simulators, bullets, and flechettes. The original process for determining the incapacitation potential of a particular fragment at a given striking velocity involved the generation of actual wounds in laboratory animals and a projection of the magnitude and effect of those wounds to the

human body.

**5.2 Biomechanical Degradation.** In the projectile evaluation process, each observed wound was assigned, as a function of time after wounding, a functional group which described the expected effect that such a wound would have on a soldier's ability to use his arms and legs. Six postwounding times were considered (i.e., 0-30 seconds, 5 minutes, 30 minutes, 12 hours, 24 hours, and 5 days). These assessments were made by a team of analysts and experienced combat physicians. Each limb was predicted to suffer either no effect, an intermediate effect (weakness or loss of fine muscular coordination), or total loss of function. In assessing the wounds (assigning limb disability), the medical assessors considered size of the damaged area as well as the gross animal response exhibited during the wound ballistics experiments. Medical intervention was not considered nor were any psychological effects such as pain or fear.

**5.3 Biomechanical Requirement.** Independent of how physical damage to the body occurs, there is an established relationship between the resulting disability (described by functional group) and the level of incapacitation associated with that disability. For several tactical roles (Assault, Defense, Reserve, and Supply), each functional group was assigned an incapacitation value of either 0, 25, 50, 75, or 100% (corresponding to no, mild, moderate, severe, and total incapacitation, respectively) by tacticians familiar with the tasks required in each role. These values represented the percent loss of function (with respect to predefined tasks) an individual would be expected to suffer given the occurrence of that functional group.

**5.3.1 Wound Analysis.** The calculation of an average incapacitation for a projectile of interest was accomplished by overlaying the wound information on full-scale charts of the human anatomy and cross-referencing the projectile performance data and tactical effect estimates. By considering literally thousands of possible wounds to all parts of the anatomy, an average incapacitation value was determined for a particular projectile/striking velocity combination. The collection of these incapacitation values, commonly known as probabilities of incapacitation given a hit, or  $P(I/H)$ , constitute the current fragment incapacitation database. This database is common to virtually all Army, Air Force, and Navy antipersonnel weapon effectiveness estimates involving fragmenting munitions; these data are also widely used by North Atlantic Treaty Organization (NATO) countries and other U.S. allies. Although the incapacitation criteria are used to predict both U.S. and enemy casualties, they were originally developed as a means to evaluate the effectiveness of U.S. weapons. The primary purpose of these data was to allow discrimination between weapon systems effects and not to predict absolute injury levels or their medical consequences.

**5.4 Incapacitation Correlations.** Prior to about 1960, various simple rules for predicting casualties existed. Probably the best known and most widely misused casualty criterion is the so-called 58 ft-lb rule. This rule of thumb, established around the turn of the century, states that missiles having at least 58 ft-lbs of kinetic energy will produce a casualty. In the years since about 1960,

correlations have been established between  $P(I/H)$  for a standard set of fragments and various ballistic parameters (mass, velocity, etc.). Due to the complex behavior exhibited by bullets, estimates of bullet incapacitation have been obtained by firing the bullet of interest into a gelatin tissue simulant and then relating the kinetic energy deposited to some previously determined empirical relationship between energy deposit in gelatin and  $P(I/H)$ . The methods for recording the energy deposit in gelatin blocks have improved and, with advances in computer technology, the empirical relationships between  $P(I/H)$  and energy have undergone varying changes in sophistication and complexity.

Also, since about 1960,<sup>4,5</sup> incapacitation potential from random impacts by chunky steel fragments and flechettes have been calculated using an  $MV^n$  correlation which relates mass and striking speed of the projectile to  $P(I/H)$ . The functional form of the  $P(I/H)$  relationship is the following:

$$P(I/H) = 1 - e^{-a(MV^{3/2} - b)^n}.$$

In 1960, Dziemian<sup>6</sup> showed that the conditional probability that a random hit by a sphere, disc, cube, bullet, or flechette would incapacitate an infantry soldier could be related to the amount of energy ( $\Delta E_{1-15}$ ) lost by the missile during its passage between 1 and 15 cm of penetration into a 20% gelatin block tissue model at 10 degrees C. The mathematical function he used for this relationship was the following:

$$P(I/H) = \frac{1}{1 + e^{a+b(\log_{10}(\Delta E_{1-15}))}}.$$

Dziemian also developed empirical rules for calculating  $\Delta E_{1-15}$  for spheres, cubes, and stable flechettes, but could find no simple relationship to estimate  $\Delta E_{1-15}$  for unstable flechettes in gelatin or for bullets. To assess these projectiles, high-speed motion pictures taken as the projectile penetrated a 38-cm long block of gelatin were analyzed frame by frame to obtain remaining velocities of the missile at any distance of penetration. Remaining kinetic energies were then calculated from the projectile's known weight. The Dziemian  $\Delta E_{1-15}$  gelatin criteria were used by the Army and other services to estimate bullet and flechette effectiveness through 1968.

In an attempt to reduce test costs and eliminate some of the technical difficulties associated with inferring precise projectile position in a gelatin target using a light photographic method, a ballistic pendulum method was adopted in 1969.<sup>37</sup> This required a new relationship which was obtained by correlating the 15-cm energies and corresponding  $P(I/H)$  values for a modified projectile set which included both fragments and flechettes. The function chosen to relate  $P(I/H)$  and energy deposited in a 15-cm cube of gelatin as measured by the BRL pendulum was the following:

$$P(I/H) = 1 - e^{-a(\Delta KE)^n}.$$



The ballistic pendulum and the BRL  $\Delta KE$  casualty criteria were the principle methodologies used by the small arms community to estimate incapacitation for bullets between 1969 and 1975.

In 1975, an alternate methodology for estimating bullet or flechette effectiveness was proposed by the now designated Research Directorate of the U.S. Army Chemical Research, Development, and Engineering Center located at the Edgewood Area of Aberdeen Proving Ground, MD.<sup>8</sup> In 1977, an expert panel endorsed this new EKE model as the U.S. recommended method for the NATO small arms trials and also established it as the official Army model.<sup>35,36</sup> This new EKE correlation<sup>7,8,9</sup> correlates  $P(I/H)$  with the experimentally determined, incremental expected kinetic energy deposit in a 20% gelatin target. Experimental projectile paths in gelatin are obtained out to 38 cm and extrapolated, if necessary, to 45 cm (the theoretical maximum horizontal trajectory through the human anatomy in a standing position). The weighted EKE deposit is then calculated from the following:

$$EKE \approx \frac{m}{2} \sum_{i=1}^{45} P_i (v_{i-1}^2 - v_i^2),$$

where EKE is the expected energy deposit (joules);  $P_i$  is the probability of the projectile being in body tissue at depth  $i$  given a random impact on the body;  $v_i$  is the projectile velocity at depth  $i$ ; and  $m$  is the mass of the projectile.

EKE can be determined experimentally or analytically<sup>8</sup> for stable projectiles. Probability of incapacitation is then estimated from the following logistic function:

$$P(I/H) = \frac{\lambda}{1 + e^{-\alpha - \beta \ln(EKE - \gamma)}},$$

where  $\alpha$ ,  $\beta$ ,  $\gamma$ , and  $\lambda$  are constants based upon stress situation and time.

## 6. COMPARISON OF PREDICTED $P(I/H)$ TO COMBAT EXPERIENCE

Data extracted from those collected by the Wound Data and Munitions Effectiveness Team (WDMET) in Vietnam provided a basis upon which to compare predicted incapacitation levels for specific munitions with those experienced in actual combat, a useful check on the validity of the  $P(I/H)$  methodology. There have been two analyses<sup>9,10</sup> made of the effects of the M26 grenade and one analysis comparing predicted and observed incapacitation due to rifle bullets.<sup>11</sup> The predicted  $P(I/H)$  estimates were directly compared with the  $P(I/H)$  estimates observed in combat.

In the M26 grenade comparisons, the combat data exhibit lower incapacitation than expected. This was due to the fact that the theoretical curve is derived for an unprotected soldier, whereas the majority of combat incidents involved soldiers wearing various kinds of protective clothing. In the rifle analysis, the observed number of incapacitations for the 30-second assault criterion is in close agreement

with the corresponding predicted value. A similar comparison based upon the 30-second defense criterion shows an observed value about one-third less than the predicted value. Given the limited sample size available for this study (25), a change in decision of several of the subjective parameters could noticeably alter the observed estimates. These studies conclude that the observed incapacitation values are not inconsistent with predicted values.

**6.1 Gelatin as a Tissue Simulant.** Gelatin is used throughout most of the wound ballistics community as a muscle tissue simulant. It has the advantages of consistency (as compared to live tissue), reproducibility over time and between laboratories, and economy. Typically, 20% (by weight) gelatin targets at 10° C have been used to simulate skeletal muscle tissue. This is the NATO standard target for evaluating small arms projectile lethality.

Numerous wound ballistic studies<sup>12-17</sup> have been performed which demonstrate for a variety of projectiles the correlation between the velocity/penetration curves in various soft tissues and those in 20% gelatin targets at 10° C. Flechettes, fragments, and bullets retard at the same rate in animal tissue and 20% gelatin and form temporary cavities in each of the same shape and approximate volume. Although missile tracts in gelatin blocks are not direct indicators of the amount of tissue damaged by penetrating projectiles, 20% gelatin does simulate the average human tissue response in terms of projectile penetration depth and retardation.

An analysis of gelatin properties and performance data by Peters,<sup>18</sup> a professor of mechanical and aerospace engineering at the University of Tennessee Space Institute, concluded that typical 20% gelatin at 10° C caused "projectile retardation that is close to the retardation in typical living pig thighs."

## **6.2 Kinetic Energy Deposit as an Indicator of Projectile Effectiveness.**

The role of kinetic energy in the wounding process has been the subject of much research and discussion. While there may not be a unique relationship between the amount of kinetic energy transfer to a target and the resulting amount of tissue damage, kinetic energy deposit does provide a convenient, physically consistent means of explaining damage which occurs both locally and at distances away from the projectile path and well outside of the permanent wound cavity. There are many examples in the literature<sup>19,20</sup> of such damage in the form of nerve damage and bone fractures which have occurred outside of the penetrating missile's path. In these cases and others involving human gunshot victims, it is clear that besides damage to the tissue which comes in contact with the projectile, there can be additional damage which cannot be explained by the mechanisms of crush and tear. The composite damage model of Peters<sup>21</sup> provides further theoretical support that projectile wounding is caused by a combination of permanent and temporary cavity damage.

In the wound studies described in section 5.1, kinetic energy deposit was not an *a priori* consideration in the assessment of individual wounds. Rather, the expected kinetic energy deposit, weighted by a hit distribution, is used in the present methodology to relate projectile characteristics to the average expected

level of incapacitation, P(I/H). Again, the P(I/H) database was derived from experimentally determined permanent wound tract information. As described previously, statistical evidence of a correlation between these two variables has been established.

## 7. FLECHETTES

Flechettes, from the French word for "little arrows," have long been of interest to military weapons designers. Modern steel flechettes have length-to-diameter ratios (L/D) on the order of 13-25 and weights of 0.1-4.5 grams. Because of their slenderness, flechettes exhibit extremely low air drag and can maintain high striking velocities at long ranges - hence their attractiveness as candidate projectiles to weapons designers. A major drawback to fielding an individual weapon system incorporating flechette projectiles has been weapon accuracy. Recent advances in sabot technology show promise in reaching the accuracy levels required for modern individual weapon systems.

The wounding potential of flechettes has been well established through wound ballistics studies dating back to 1959.<sup>22-30</sup> Depending upon construction and striking velocity, flechettes exhibit basically two types of behavior in tissue and tissue simulants. At striking velocities below approximately 900 m/s, homogeneous steel flechettes tend to penetrate soft tissue target media in a stable mode (i.e., without tumbling or buckling), causing wounds that are relatively constant in diameter from entrance to exit. Such wounds are typical for artillery launched (BEEHIVE) and shotgun launched flechettes, projectiles which were used in Vietnam. At striking velocities higher than 900 m/s these flechettes begin to deform and buckle (i.e., the flechette nose becomes blunted and the shaft bends), causing wounds which initially are constant in diameter but which become larger as buckling progresses and the projectile presents a larger surface area to the target. This behavior has been demonstrated experimentally<sup>22-30</sup> and theoretically.<sup>31,32,33</sup> A recent series of firings<sup>34</sup> with flechettes into both standard 20% gelatin and 10% gelatin at velocities above 900 m/s have reconfirmed this deformation behavior.

The general conclusions of the Special Purpose Infantry Weapon (SPIW) study<sup>30</sup> and others cited previously support the inclusion of the flechette as a candidate projectile for the next generation individual combat weapon system. These conclusions can be summarized as follows:

- [1] High velocity flechettes compare favorably at normal engagement ranges with modern rifle bullets in terms of incapacitation and tissue destruction.
- [2] Flechettes can fracture bone at velocities obtained at normal engagement ranges.
- [3] Flechette weapons, designed to be fired in multiple round bursts, can provide a wound synergism to enhance incapacitation.

## 8. CONCLUSIONS

Wound ballistic studies with fragments, bullets, and flechettes with substantial medical input provide a consistent database upon which the current incapacitation assessment methodology is based. Considerable effort has gone into development of a methodology which, although constantly undergoing refinement, is based on sound research. Although certain elements of the methodology have not been well documented or publicized, a clear audit trail exists for the majority of this research. All aspects of the methodology, in particular, those involving medical expertise, are subject to being updated whenever the need for improvement is identified and medical input is available.

The purpose of this methodology is to provide a technique for quantifying the difference in antipersonnel effect between competing weapon systems and to provide a means for evaluating improvements in weapons, ammunition, and items of protective clothing and equipment. The interactions which take place between wounding agents and the human tissues they encounter are complex and depend on a large number of variables. While some of the relationships are not fully understood, the present suite of models based on kinetic energy transfer theory accomplish their intended purpose and provide reasonable, useful, and scientifically sound results.

## 9. REFERENCES

1. Copes, W., M. Gaydos, and W. Matzkowitz. "An Evaluation of the Optimal Fragment Size for The Anti-Personnel Hand Grenade." AMSAA Technical Report No. 114, U.S. Army Materiel Systems Analysis Activity, Aberdeen Proving Ground, MD, July 1974.
2. Fackler, M., and J. Malinowski. "The Wound Profile: A Visual Method for Quantifying Gunshot Wound Components." *The Journal of Trauma*, vol. 25, pp. 522-529, 1985.
3. Clare, V., W. Ashman, P. Broome, J. Jameson, J. Lewis, J. Merkler, A. Mickiewicz, W. Sacco, L. Sturdivan, D. Lamb, and F. Sylvanus. "The ARRADCOM Computer Man - An Automated Approach To Wound Ballistics." CSL-TR-80021, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, November 1980.
4. Allen, F., and J. Sperrazza. "New Casualty Criteria For Wounding by Fragments." BRL Report No. 998, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1958.
5. Kokinakis, W., and J. Sperrazza. "Criteria for Incapacitating Soldiers With Fragments and Flechettes." Report No. 1269, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1965.
6. Dziemian, A. J. "A Provisional Casualty Criterion for Fragments and Projectiles." CWLR 2391, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, May 1960.
7. Sturdivan, L. M. "The Determination of the P(IH) of Bullets." Draft CSL Report, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, July 1980.
8. Sturdivan, L. M. "Handbook of Human Vulnerability Criteria, Chapter 2, Spheres, Cubes and Fragments." CSL-SP-81005, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, October 1981.
9. Sturdivan, L. M. "Handbook of Human Vulnerability Criteria, Chapter 5, Multiple Impacts." CSL-SP-81005, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, May 1976.
10. Joint Technical Coordinating Group for Munitions Effectiveness. "Evaluation of Wound Data and Munitions Effectiveness in Vietnam, Vol. 2." JTCG/ME-75-11-2, Joint Technical Coordinating Group for Munitions Effectiveness, Aberdeen Proving Ground, MD, 1975.
11. Carne, R., C. Gardner, W. Heaps, and W. Lese, Jr. "Comparison of Predicted and Observed Wound Ballistic Estimates For Rifle Bullets." AMSAA-TR-26, U.S. Army Materiel Systems Analysis Activity, Aberdeen Proving Ground, MD, November 1970.

12. Dziemian, A., and W. McDonald. "The Effects of Missiles on Animal Tissues and Gelatin Tissue Models." CWLR 2349, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, March 1960.
13. Ericsson, K., and W. McDonald. "Cavitation Produced by the 0.85 grain Steel Sphere in Skeletal Tissue and Tissue Models." CRDLR 3142, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, June 1962.
14. Dziemian, A., and A. Olivier. "Wound Ballistic Assessment of the M14, AR15, and Soviet AK47 Rifles." CRDLR 3204, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, March 1964.
15. Jameson, J. "Retardation of 0.5 Grain Steel and Tungsten Cylinders by Goat Tissues and Gelatin Tissue Models." CRDLR 3215, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, September 1964.
16. Jameson, J., and C. Lilley. "Retardation of 16 Grain Tungsten Cubes by Goat Tissues and Gelatin Tissue Models." CRDLR 3271, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, March 1965.
17. Jameson, J., and C. Lilley. "Retardation of 0.85 Grain Hard Steel Spheres by Goat Tissues and Gelatin Tissue Models." EATR 4122, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, September 1967.
18. Peters, Carroll E. "Incapacitation Characteristics Of Handgun Bullets." Paper presented at the FBI Academy, Quantico, VA, May 1989.
19. Coates, J. B. and J. C. Beyer. *Wound Ballistics*. Office of The Surgeon General, Department of The Army, Washington, DC, 1962.
20. Janzon, B. "High Energy Missile Trauma." FOA Report B 20043-D4, D7(T4), University of Goteberg, Goteberg, Sweden, November, 1983.
21. Peters, C. E. "Dynamics of High-Speed Projectiles in Tissue Simulants and Living Tissue: an Update." Paper presented to TTCP Wound Ballistics Meeting, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, May 1987.

22. Dziemian, A., F. Light, Jr., and S. Benbrook. "Wounding By Flechettes." CWLR 2235, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, August 1958.
23. Dziemian, A., and W. McDonald. "The Effects Of Missiles on Animal Tissues and Gelatin Tissue Models." CWLR 2349, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, March 1960.
24. Olivier, A., B. Brown, and J. Merkler. "Wound Ballistics of the 7.2 Grain Steel Flechette." CRDLR 3066, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, April 1961.
25. Olivier, A. "Wound Ballistics of High-Velocity Flechettes for Hand Held Weapons." CRDLR 3091, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, 1961.
26. Olivier, A., B. Brown, and J. Merkler. "Wound Ballistics of the 1.7 Grain Steel Flechette." CRDLR 3107, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, January 1962.
27. Olivier, A. "Wound Ballistic Studies of Projectiles for Hand Held Anti-personnel Weapons." CRDLR 3121, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, 1962.
28. Olivier, A., J. Merkler, B. Brown, and A. Mickiewicz. "Wound Ballistics of the 15.2 Grain Steel Flechette." CRDLR 3132, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, August 1962.
29. Olivier, A., and W. McDonald. "Wound Ballistics of the 18.4 Grain Bimetallic Flechette." CRDLR 3211, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, April 1964.
30. Dziemian, A., A. Olivier, and W. McDonald. "Wound Ballistics of the SPIW Flechette." CRDLR 3308, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, July 1965.
31. Bruchey, W., Jr., and B. Cummings. "A Provisional Lethality Model-1974." BRL-MR-1698, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1974.

32. Cummings, B., and M. Hirschberg. "Calculation of Criteria for Flechette Deformation in a Tissue Simulant." BRL-TR-1929, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1976.
33. Jameson, J. "Provisional Tumbling Flechette Criteria." Unpublished analysis, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, 1976.
34. Prather, R. "Candidate Flechette Projectiles." Unpublished data, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September, 1989.
35. DRDAR-CLB. Letter to U.S. Army Armament Research and Development Command (DRDAR-TDR/Dr. R. J. Eichelberger). Subject: Review of Gelatin Correlation Techniques for Bullet Lethality. U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, 22 August 1977.
36. DRDAR-CLE-B. Letter to HQDA (DAMA-WSW/MAJ Woods). Subject: US Position for Meeting of NATO Group of Experts in Terminal Ballistics. U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, 12 September 1977.
37. Bruchey, W., Jr., and L. Sturdivan. "An Instrumented Range Meeting the Requirements of a Wound Ballistics Small Arms Program." BRL-TN-1703, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, 1968.



## 10. WOUND BALLISTICS BIBLIOGRAPHY

- Allen, F., and J. Sperrazza. "New Casualty Criteria for Wounding by Fragments." BRL Report No. 996, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1956.
- Ashman, W. P. "A Comparison of the Antipersonnel Performance of Caliber .50 Armor-Piercing and Caliber .50 Ball Ammunition." EATR 4656, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, June 1972.
- Berdjis, C. C. "Biomedical Evaluation of Traumatic Wounds." EASP 100-31, U.S. Army Biomedical Laboratory, Aberdeen Proving Ground, MD, May 1968.
- Brown, B. J. "A Comparison of the Wound Ballistics of Experimental .45-Caliber Cartridges; XM668 and XM261." EATR 4273, U.S. Army Edgewood Arsenal, Edgewood, MD, March 1969.
- Brown, B. J. "A Comparison of the Wound Ballistics of Small Steel and Tungsten Cylinders." CRDLR 3283, U.S. Army Chemical Research and Development Laboratory, Edgewood, MD, October 1965.
- Brown, B. J. "A Wound Ballistics Comparison of Selected 9-mm Bullets." FSTC-CR-20-8-71, U.S. Army Foreign Science and Technology Center, Charlottesville, VA, October 1970.
- Brown, B. J. "Evaluation of the Wounding Potential of Single Projectiles From the 40-mm Multiple Projectile Cartridges XM576 and the XM576 EZ." EATR 4690, U.S. Army Chemical Systems Laboratory, Edgewood, MD, November 1972.
- Bruchey, W. J., Jr. "Energy Deposit of Various .38-Caliber Pistol Bullets in Tissue Simulants." BRL-IMR-127, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, July 1973.
- Bruchey, W. J., Jr. "Lethality Estimates for Various Squad Automatic Weapon (SAW) Contenders." BRL-IMR-384, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, May 1975.
- Bruchey, W. J., Jr. "Use of a Double Ballistic Pendulum System for the Wound Ballistics Evaluation of Small Arms Projectiles." BRL-IMR-384, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, May 1975.
- Bruchey, W. J., Jr., and B. Cummings. "A Provisional Lethality Model-1974." BRL-MR-1698, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1974.
- Bruchey, W. J., Jr., and H. C. Dubin. "Criteria for Selection of Handgun Ammunition." BRL-IMR-323, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1974.

- Bruchey, W. J., Jr., B. Izdebski, H. Offney, B. Rickter, and J. Haynie. "Ammunition for Law Enforcement: Part II, Data Obtained for Bullets Penetrating Tissue Simulant." BRL 1940, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1976.
- Bruchey, W. J., Jr., B. Izdebski, H. Offney, B. Rickter, and J. Haynie. "Ammunition for Law Enforcement: Part III." BRL-MR-2673, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1976.
- Bruchey, W. J., Jr., and L. M. Sturdivan. "Terminal Behavior of the 9-mm and .45-Caliber Ball Bullets in Soft Targets." BRL 1466, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1970.
- Carn, R. E., C. W. Gardner, W. E. Heaps, and W. G. Lese. "Comparison of Predicted and Observed Wound Ballistics Estimates for Rifle Bullets." AMSAA-TR-28, U.S. Army Materiel Systems Analysis Activity, Aberdeen Proving Ground, MD, November 1970.
- Carn, R. E., and B. Grollman. "Antipersonnel Effectiveness of Small Rockets for Infantry Fire Roles." BRL-TN-1467, REV, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1963.
- Clare, V. R. "A Wound Ballistics Comparison of: Bullet, 43-Grain, 5.56-mm. Ball, Soviet, MEN-29108 and Bullet, 55-Grain, 5.56-mm Ball, M193, US." FSTC-CR-20-59-70, U.S. Army Foreign Science and Technology Center, Charlottesville, VA, July 1970.
- Clare, V. R. "Proposed Methodology for Multiple Fragment Wound Assessment Using the ARRADCOM Computer Man." CSL-SP-80007, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, 1980.
- Clare, V. R. "The Effects on Goats of Low Velocity Impacts of 3- and 4 1/4-Inch Diameter Inert-Loaded Latex Balls." CRDL-TM-21-12, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, January 1964.
- Clare, V. R. "Wound Ballistics Assessment of the 7.62-mm M198 Duplex Ball." CRDLR 3304, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, August 1965.
- Clare, V. R. "Wound Ballistics of 7.62-mm and 5.56-mm Rifle Bullets at Long Range and Transonic Velocity." EATR 4021, U.S. Army Edgewood Arsenal, Edgewood, MD, September 1966.
- Clare, V., W. Ashman, P. Broome, J. Jameson, J. Lewis, J. Nerkler, A. Mickiewicz, W. Sacco, L. Sturdivan, D. Lamb, and F. Sylvaus. "The ARRADCOM Computer Man - An Automated Approach To Wound Ballistics." CSL-TR-80021, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, November 1980.
- Coates, J. B., and J. C. Beyer. *Wound Ballistics*. Office of The Surgeon General, Department of The Army, Washington, DC, 1962.

- Corn, A. D., and C. W. Haag. "Design and Development of New and Improved Flechettes and Applicable Weapon Systems." TW-121, Whirlpool Corp., Evansville, IND, February 1965.
- Creegan, J. B., Jr. "The Dependence of Vulnerability on Target Shape and Size." CWLR 2273, U.S. Army Chemical Warfare Laboratory, Edgewood, MD, March 1959.
- Cummings, B., and M. Hirschberg. "Calculation of Criteria for Flechette Deformation in a Tissue Simulant." BRL-TR-1929, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1976.
- Dienes, J. K., P. L. Coleman, M. Intaglietta, and J. E. Welch. "The Response of Gelatin to High Speed Impact." BRL-CR-256 U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1975.
- Dorfman, D., A. D. Stein, and R. S. Salzman. "Terminal Effects of Flechettes." PA-TR-1402, U.S. Army Picatinny Arsenal, Picatinny, NJ, April 1964.
- Dubin, H. C., and R. Hilleke. "Low Density Plastic Fragment Hazards." BRL-MR-2707, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1976.
- Dubin, H. C. "Temporary Wound Cavity Model." BRL-MR-2423, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1974.
- Dubin, H. C. "A Cavitation Model for Kinetic Energy Projectiles Penetrating Gelatin." BRL-MR-2423, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1974.
- Dunn, D. J., Jr., and J. W. Carroll. "Penetration of an Experimental .22-Cal. Bullet in Gelatin." BRL-MR-1109, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1957.
- Dunn, D. J., Jr., and T. E. Stern. "Hand Grenades for Rapid Incapacitation." BRL-806, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, April 1952.
- Dziemian, A. J. "A Method for the Estimation of the PH Values for Projectiles." CRDLR 3039, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, November 1964.
- Dziemian, A. J. "A Missile Trauma in Goats." CRDLR 3278, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, May 1965.
- Dziemian, A. J. "A Provisional Casualty Criterion for Fragments and Projectiles." CWLR 2391, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, May 1960.
- Dziemian, A. J. "Airborne Contamination of Bullet Cavities." MDR 232, U.S. Army Medical Laboratory, Edgewood, MD, January 1950.

- Dziemian, A. J. "Comparison of the Wounding Characteristics of Some Commonly Encountered Bullets." CRDL Special Publication 2-54, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, October 1963.
- Dziemian, A. J. "Fragment Studies of the E54R6 GB Filled Bomb." MLRR 133, U.S. Army Medical Laboratory, Edgewood, MD, September 1952.
- Dziemian, A. J. "A Wound Ballistic Comparison of Grenades, Hand Fragmentation MKII and M26." MLRR 308, U.S. Army Medical Laboratory, Edgewood, MD, September 1954.
- Dziemian, A. J. "A Wound Ballistics Study of Fragmentation Hand Grenades: MKII, M26, M26A1, and JAY." CWLR 2140, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, July 1957.
- Dziemian, A. J. "Incapacitation Criteria for Salvo Bullets." CWLR 2198, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, December 1957.
- Dziemian, A. J. "Some Aspects of the Wound Ballistics of Military Bullets." CWLR 2316, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, October 1959.
- Dziemian, A., and W. McDonald. "The Effects of Missiles on Animal Tissues and Gelatin Tissue Models." CWLR 2349, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, March 1960.
- Dziemian, A. J. "The Penetration of Steel Spheres Into Tissue Models." CWLR 2226, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, August 1958.
- Dziemian, A. J. "Wound Ballistics Assessment of an Experimental .22-Caliber Lead Core High Velocity Rifle Ball: Comparison With the 7.62-mm NATO (.30-Caliber) Rifle Ball." MLRR 411, U.S. Army Medical Laboratory, Edgewood, MD, November 1955.
- Dziemian, A., and A. Olivier. "Wound Ballistic Assessment of the M14, AR15, and Soviet AK47 Rifles." CRDLR 3204, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, March 1964.
- Dziemian, A. J. "Wound Ballistics Assessment of the .30-Caliber Ball, Carbine, M1, and an Experimental .22-Caliber Ball, Carbine." MLRR 334, U.S. Army Medical Laboratory, Edgewood, MD, November 1954.
- Dziemian, A. J. "Wound Ballistics Assessment of the .30-Caliber T21 Ball, the .30-Caliber Armor Piercing M2 Bullet and the .280-Caliber United Kingdom Lead Core Ball." MLRR 291, U.S. Army Medical Laboratory, Edgewood, MD, June 1954.

- Dziemian, A. J. "Wound Ballistics Field Tests of the 75-mm Cannister, T30E16." CWLR 2042, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, June 1956.
- Dziemian, A. J. "Wound Ballistics of an Homologous Series of Bullets - Animal Studies." MLRR 368, U.S. Army Medical Laboratory, Edgewood, MD, June 1955.
- Dziemian, A. J. "Wound Ballistics of a .22-Caliber Brass Scale Model of the .30-Caliber M2 Rifle Ball." MLRR 94, U.S. Army Medical Laboratory, Edgewood, MD, December 1951.
- Dziemian, A. J. "Wound Ballistics of Soft Point Hunting Bullets." CRDLR 3192, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, November 1963.
- Dziemian, A., A. Olivier, and W. McDonald. "Wound Ballistics of the SPIW Flechette." CRDLR 3308, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, July 1965.
- Dziemian, A. J. "Wound Ballistics Tests of .22-Caliber Bullets for the M4 Air Force Survival Gun." MLRP 215, U.S. Army Medical Laboratory, Edgewood, MD, September 1953.
- Dziemian, A. J. "Wound Ballistics of the .30-Caliber M2 Rifle Ball in Gelatin Tissue Models." MDRR 32, U.S. Army Medical Laboratory, Edgewood, MD, November 1950.
- Dziemian, A. J. "Wound Ballistics of the .30-Caliber M2 Rifle Ball." MLRR 106, U.S. Army Medical Laboratory, Edgewood, MD, March 1952.
- Dziemian, A. J. "Wound Ballistics of the .200-Caliber United Kingdom and .30-Caliber U.S. Bullets." MDRR 19, U.S. Army Medical Laboratory, Edgewood, MD, September 1950.
- Dziemian, A. J. "Wound Ballistics of High-Velocity Flechettes for Hand-Held Weapons." CRDLR 3091, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, October 1961.
- Dziemian, A. J. "Wound Ballistics of the Heile Projectile." MLRR 84, U.S. Army Medical Laboratory, Edgewood, MD, September 1951.
- Dziemian, A. J. "Wound Ballistics of the Soviet 7.62-mm, Explosive Incendiary 'ZP' Bullet With an Example of Its Use by the Enemy in Korea." MLRR 219, U.S. Army Medical Laboratory, Edgewood, October 1953.
- Dziemian, A., F. Light, Jr., and S. Benbrook. "Wounding By Flechettes." CWLR 2235, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, August 1958.
- Dziemian, A. J. "Wounding by Salvo Bullets." CWLR 2196, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, November 1957.

- Ericcson, K., and W. McDonald. "Cavitation Produced by the 0.85 Grain Steel Sphere in Skeletal Tissue and Tissue Models." CRDLR 3142, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, June 1962.
- Eycleshymer, A. C., and D. M. Schoemaker. *A Cross-Section Anatomy*. New York and London: D. Appleton and Company, 1911.
- Famiglietti, M. A. "A Preliminary Fragmentation Analysis of the Wounding Effectiveness of Some Experimental Cast Ferrous Shell as Dependent Upon Casing Material." BRL-TN-894, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, April 1954.
- Famiglietti, M. A. "A Provisional Effectiveness Evaluation of Flechette-Firing Machine Guns Mounted on Rotary Wing Aircraft." BRL-TN-1496, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, April 1963.
- Fiege, H. R. "Incapacitation Produced by a 0.85 Grain Sphere at 3800 Feet Per Second." MLRR 246, U.S. Army Medical Laboratory, Edgewood, MD, February 1954.
- Fiege, H. R. "Wound Ballistics of the 0.85 Grain Steel Sphere." MLRR 264, U.S. Army Medical Laboratory, Edgewood, MD, April 1954.
- Frasier, J. T. "The Transient Response of Gelatin Targets to Projectile Impacts." BRL-1263, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1964.
- Gould, R. A. "Wound Ballistics of the 16 Grain Steel Preformed Fragment." MLRR 393, U.S. Army Medical Laboratory, Edgewood MD, August 1955.
- Gehrig, J. J. "The Assessment of Anti-Personnel Effectiveness of Some U.S. and Foreign H. E. Shells." BRL-TN-717, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, June 1952.
- Glover, J. L. "Experimentation Study of Sphere and Shell Fragment Wounds of Soft Tissues." EATR 4003, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, August 1966.
- Grabarek, C. L., and F. Herr. "Terminal Ballistic Evaluation of the XM144 Flechette, the 5.56-mm, M193 Ball Bullet and the 7.62-mm M80 Ball Bullet." BRL-TN-1582, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1965.
- Grabarek, C. L., and A. Ricchiazzi. "Effect of Nose Shape on Incapacitation Probabilities for Caliber .14 Bullets." BRL-TN-1498, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, April 1963.
- Grabarek, C. L., A. Ricchiazzi, and D. Dunn. "Estimated Incapacitation Probabilities of Caliber .14 Bullets." BRL-MR-1409, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, June 1962.

- Grabarek, C. L. "The Drag Coefficient of 5.56-mm, M193, Ball Bullet in Gelatin." BRL-TN-1586, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1965.
- Gurney, R. W. "A New Casualty Criterion." BRL-498, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1944.
- Herget, C. M. "The Effect of a Non-Perforating Missile on the Animal Body Protected by Nylon Armor." MDR 208, U.S. Medical Laboratory, Edgewood, MD, August 1949.
- Herget, C. M. "The Effect of a Non-Perforating Projectile on the Animal Body Protected by Steel Armor." MDR 228, U.S. Army Medical Laboratory, Edgewood, MD, December 1949.
- Herget, C. M. "Physical Aspects of Primary Contamination of Bullet Wounds." MDR 215, U.S. Army Medical Laboratory, Edgewood, MD, September 1949.
- Herget, C. M. "Field Studies on Wounding and Incapacitation by Small Fragments." MLRR 99, U.S. Army Medical Laboratory, Edgewood, MD, January 1952.
- Hole, G. "Anatomical Models Based on Gelatin and the Influence of Garments on Impact Damage." SATRA Report 76/16080, Shoe and Allied Trades Research Association, Kettering, England, October 1980.
- Humphries, A. L., Jr. "Evaluation of the Wounding Potential of the 2.1 Grain Steel Cube Preformed Fragment." CWLR 2100, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, March 1957.
- Ingram, R. R., Jr. "Antipersonnel Evaluation of Aircraft Armament Type 6087-010038 Flechettes." CRDL Technical Memorandum 2-11, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, February 1965.
- Ingram, R. R., Jr. "Kinetic PHK Studies of a Sharp-Nose Beehive Configuration Versus a Blunt-Nose Sting-Ray Configuration." CRDL Technical Memorandum 2-8, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, November 1964.
- Jameson, J. W. "Energy Losses in Gelatin." CRDLR 3201, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, December 1963.
- Jameson, J. W. "Retardation of a T57 Component." CRDLR 3223, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, September 1964.
- Jameson, J. W. "Retardation of the 0.5 Grain Steel and Tungsten Cylinders by Goat Tissues and Gelatin Tissue and Gelatin Tissue Models." CRDLR 3215, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, September 1964.

- Jameson, J. W. "Retardation of the 0.85 Grain Hard Steel Sphere by Goat Tissue Models." EATR 4122, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, September 1967.
- Jameson, J. W. "Retardation of the 2.1 Grain Steel Cube by Goat Tissues and Gelatin Tissue Models." EATR 4296, U.S. Army Biophysics Laboratory, Edgewood, MD, May 1969.
- Jameson, J. W. "Retardation of the 18 Grain Tungsten Cube by Goat Tissues and Gelatin Tissue Models." CRDLR 3271, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, March 1965.
- Jameson, J. W., and J. M. Merkler. "Analysis of WDMET M26 Grenade Cases for Armor Vest Protective Effect." EB-TR-75042, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, June 1975.
- Jameson, W. P. "Expected Probability of Mission Incapacitation to Fixed- and Rotary-Wing Pilots From Fragments." ARBRL-TR-02350, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, July 1981.
- Jones, K. S. "Fragment Patterns of Shell Bursts and Probability of Casualty." BRL-MR-744, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, November 1953.
- Kirby, W. H., Jr. "Human Incapacitation Evaluation Using Simulation Experiments." BRL-TN-1374, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1961.
- Kneibert, R., W. Kokinakis, G. Brinckerhoff, and W. Johnson. "Wound Tract Analysis by High Speed Digital Computer." BRL-MR-1623, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1965.
- Kokinakis, W., and J. Sperrazza. "Ballistic Limits on Tissue and Clothing." BRL-TN-1645, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1967.
- Kokinakis, W., and J. Sperrazza. "Criteria for Incapacitating Soldiers With Fragments and Flechettes." BRL 1289, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1965.
- Krauss, M. "Comparison of Permanent and Temporary Cavities Produced by High-Velocity Rifle Bullets in Soft Tissues." CWLR 2144, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, July 1957.
- Krauss, M. "Studies in Wound Ballistics: Temporary Cavities and Permanent Tracts Produced by High-Velocity Projectiles in Gelatin." CWLR 2340, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, January 1960.



- Krauss, M. "The Effects of Low Velocity Impacts of 18 Gram Sub-Missiles on Goats and the Human Skull." CRDL Technical Memorandum 21-4, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, November 1960.
- Krauss, M. "Wound Ballistics Assessment of Winchester-Western Caliber .25 Salvo Ammunition." CRDLR 3044, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, December 1960.
- Krauss, M. "Wound Ballistic Studies of Projectiles for Hand-Held Antipersonnel Weapons: A Caliber .45 Pistol Round and the Caliber .30 XM 76 Rifle Round." CRDLR 3121, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, February 1962.
- Lewis, J. H. "An Empirical/Mathematical Model to Estimate the Probability of Skin Penetration by Various Projectiles." CSL-TR-78004, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, April 1978.
- Light, F. W., Jr. "The Effect of Fragment Pattern and Target Shape on Vulnerability." CWLR 2008, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, March 1956.
- Masaitis, C. V. "A Study in Wound Ballistics." EB-TR-74060, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, November 1974.
- McCone, A. I., Jr. "A Physical Theory of the Soft Target Penetration Cavity." MB-R-74-28, MB Associates, San Ramon, CA, May 1975.
- Mendelson, J. "Evaluation of Casualty Death Files for Wound Distribution Data." EATR 4167, U.S. Army Biophysics Laboratory, Edgewood, MD, March 1968.
- Merkler, J. M. "Qualitative Estimates for Wounding Produced by the Second Generation Scimitar." EATR 4274, U.S. Army Biophysics Laboratory, Edgewood, MD, April 1969.
- Merkler, J. M. "Qualitative Estimates of Wounding Produced by the Scimitar." EATR 4258, U.S. Army Biophysics Laboratory, Edgewood, MD, April 1969.
- Merkler, J. M. "Analysis of Bullet Incapacitation Data From Wound Data Munitions Effectiveness (WDMET) Cases." CSL-TR-77009, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, June 1977.
- Merkler, J. M. "Assessment of a 22-Grain Scimitar at Striking Velocities of 400 and 700 Feet Per Second." EATR 4658, U.S. Army Biophysics Laboratory, Edgewood, MD, March 1970.
- Merkler, J. M. "Assessment of a T57 Component." CRDLR 3219, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, August 1964.

- Merkler, J. M. "Assessment of the Second Generation Scimitar at Striking Velocities of 400 and 700 F.P.S." EA-TR-4352, U.S. Army Biophysics Laboratory, Edgewood, MD, February 1970.
- Mickiewicz, A. P. "A Wound Ballistics Study of High Velocity Projectiles Striking the Maxillofacial Area." CSL-TR-81086, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, March 1982.
- Mickiewicz, A. P. "Impact Hazards of the Water Ball." EB-TR-74090, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, February 1975.
- Mickiewicz, A. P. "Impact Hazards Study of the United Kingdom 1.5-Inch Rubber Baton (Rubber Bullet)." EATR 4657, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, October 1972.
- Mickiewicz, A. P. "Lethality Estimates and Relative Hazards of the 3-Inch Diameter, 0.3-Pound Bean Bag." EB-TR-73056, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, October 1972.
- Miller, J. F. "Ballistic Limits of Skulls Against Steel Cubes." EATR 4373, U.S. Army Biophysics Laboratory, Edgewood, MD, April 1970.
- Myers, Keith A. "A Comparison of Actual Casualties Arising From an 8-Inch Howitzer Shell Accident With Theoretical Casualty Estimates." BRL-MR-1503, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1963.
- Olivier, A. G. "Assessment of an XM36 Component." CRDLR 3143, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, July 1962.
- Olivier, A. G. "Provisional Casualty Criteria for Helicopter Pilots." CRDLR 3191, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, November 1963.
- Olivier, A., B. Brown, and J. Merkler. "Wound Ballistics of the 7.2 Grain Steel Flechette." CRDLR 3066, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, April 1961.
- Olivier, A. "Wound Ballistics of High-Velocity Flechettes for Hand Held Weapons." CRDLR 3091, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, 1961.
- Olivier, A., B. Brown, and J. Merkler. "Wound Ballistics of the 1.7 Grain Steel Flechette." CRDLR 3107, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, January 1962.
- Olivier, A. "Wound Ballistic Studies of Projectiles for Hand Held Antipersonnel Weapons." CRDLR 3121, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, 1962.

- Olivier, A., J. Merkler, B. Brown, and A. Mickiewicz. "Wound Ballistics of the 15.2 Grain Steel Flechette." CRDLR 3132, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, August 1962.
- Olivier, A., and W. McDonald. "Wound Ballistics of the 18.4 Grain Bimetallic Flechette." CRDLR 3211, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, April 1964.
- Olivier, A. G. "Wound Ballistics of the 8.5-mm Mannlicher-Carcano Ammunition." CRDLR 3264, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, March 1965.
- Olivier, A. G. "Wound Ballistics Evaluation of Caliber .17 Bullets." CRDLR 3320, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, October 1965.
- Olivier, A. G. "Wound Ballistics of the 0.85 Grain Steel Disk." CWLR 2372, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, May 1960.
- Olivier, A. G., J. M. Merkler, and B. J. Brown. "Re-evaluation of the Wound Ballistics of Four Fragments." CWLR 2363, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, March 1960.
- Perzia, W. J. "Capabilities and Effectiveness of Flex." PA-TR-3482, U.S. Army Picatinny Arsenal, Picatinny, NJ, December 1966.
- Piddington, M. J., F. H. Oertel, E. L. Herr, and W. J. Bruchey. "Experimental Ballistic Properties of Selected Projectiles of Possible Interest in Small Arms." BRL-MR-2194, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, June 1972.
- Rand Corp. "Wound Ballistics in Perspective - A Historical Review and Some Unsolved Problems." Advanced Research Projects Agency Report No. RM-3776-1-ARPA, January 1965.
- Ricchiazzi, A., and C. Grabarek. "Performance of a Bimetallic Flechette in Gelatin." BRL-TN-1563, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, April 1965.
- Roecker, E. T. "The Lethality of a Bullet as a Function of Its Geometry." BRL-1378, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1967.
- Roecker, E. T., and J. L. Davis III. "Numerical and Analog Computer Models of a Bullet Penetrating Gelatin." BRL-MR-2580, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, February 1976.
- Roecker, E. T., M. J. Piddington, D. N. Neades, L. M. Sturdivan, and J. Jameson. "Comparative Analyses of Gelatin Correlation Techniques for Bullet Lethality, Part I." BRL-TR-02033, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1977.

- Roecker, E. T., M. J. Piddington, D. N. Neades, L. M. Sturdivan, and J. Jameson. "Comparative Analyses of Gelatin Correlation Techniques for Bullet Lethality, Part II, Appendix F." BRL-TR-02042, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, February 1978.
- Rudolph, R. R. "Personnel Degradation: Wounding by Flechettes." Ketron, Inc., KDR 104-86, Contract No. DAAA15-85-D-0005, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, July 1986.
- Sacco, W. J. "A Comparison of the Effects of 'Old' and 'New' Weapons/Munitions from a Medical Workload Viewpoint." EB-TR-76021. U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, December 1975.
- Shirk, W. F. (Coordinator). "Flechette Design Performance Characteristics and Potential Casualty Rates." PA TM-A-1584, U.S. Army Picatinny Arsenal, Picatinny, NJ, July 1965.
- Sperrazza, J. "Casualty Criteria for Wounding Soldiers." BRL-TN-1486, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, June 1962.
- Sperrazza, J. "Probabilities of Incapacitation of Helmeted Troops by a Heavy Steel Fragment." BRL-TN-1235, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1958.
- Sperrazza, J., and J. R. Blair. "Evaluation of Wound Data and Munitions Effectiveness in Vietnam (WDMEV)." Vol I. 61JTCG/ME-75-11-1, Joint Technical Coordinating Group for Munitions Effectiveness, Aberdeen Proving Ground, MD, December 1970.
- Sperrazza, J., and J. R. Blair. "Evaluation of Wound Data and Munitions Effectiveness in Vietnam (WDMEV)." Vol II. 61JTCG/ME-75-11-2, Joint Technical Coordinating Group for Munitions Effectiveness, Aberdeen Proving Ground, MD, December 1970.
- Sperrazza, J., and J. R. Blair. "Evaluation of Wound Data and Munitions Effectiveness in Vietnam (WDMEV)." Vol III. 61JTCG/ME-75-11-3, Joint Technical Coordinating Group for Munitions Effectiveness, Aberdeen Proving Ground, MD, December 1970.
- Sperrazza, J., and A. Dziemian. "Provisional Estimates of the Wounding Potential of Flechettes." BRL-TN-1297, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, February 1960.
- Sterne, T. E. "A Provisional Casualty Criterion." BRL-TN-370, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, March 1951.

- Sterne, T. E. "A Provisional Criterion for Incapacitation by a Dart." BRL-MR-857, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1955.
- Sterne, T. E. "A Provisional Criterion for Incapacitation by a Dart - II." BRL-MR-918, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1955.
- Sterne, T. E. "Provisional Criteria for Fatal or Severe Wounding by Fragments." BRL-MR-591, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, February 1952.
- Sterne, T. E. "Provisional Criteria for Rapid Incapacitation by Fragments." BRL-TN-556, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, November 1951.
- Sterne, T. E. "Provisional Values of the Vulnerability of Personnel to Fragments." BRL-758, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, May 1951.
- Sterne, T. E. "Relative Effectiveness of Conventional Rifles and an Experimental 'Salvo' Weapon in Area Fire." BRL-MR-1009, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, June 1965.
- Sterne, T. E. "The Probability of Incapacitation by a Steel Sphere or by Darts When Portions of the Body Are Rendered Vulnerable." BRL-MR-960, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, February 1956.
- Stewart, G. M. "Eye Protection Against High Speed Missiles." CRDLR 3007, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, July 1960.
- Sturdivan, L. M. "A Mathematical Model for Predicting the Penetration of Chunky Projectiles in a Gelatin Tissue Simulant." CSL-TR-78055, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, December 1978.
- Sturdivan, L. M. "Handbook of Human Vulnerability Criteria, Chapter 2: Spheres, Cubes, and Fragments." CSL-SP-81005 (SP-76011-2), U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, October 1981.
- Sturdivan, L. M., and W. Bruchey. "Terminal Behavior of the 5.56-mm M193 Ball Bullet in Soft Targets." BRL-1447, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1969.

- Thraillkill, A. E., R. L. Simmons, J. Sperrazza, and L. C. Macallister. "An Evaluation of the Anti-Personnel Capabilities of the Microjet." BRL-TN-1436, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, November 1961.
- Van Wyk, R. D., and W. Riefler. "Effectiveness of Pistol Bullets in Gelatin." BRL-CR-145, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, March 1974.
- Vincent, A. R. "An Analysis of the Effectiveness of Aluminum Oxide Fragments for Use in an Anti-Personnel Mine." BRL-TN-823, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1953.
- Vincent, A. R. "An Effectiveness Study of the Claymore Anti-Personnel Weapon." BRL-MR-675, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, May 1953.
- Waldon, D. J., and K. A. Myers. "Lethal Area Estimates for Various Fragmenting Shells." BRL-MR-1483, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, June 1963.
- Williams, R. B. "Retardation of the 2.1 Grain Steel Cube by Clothing and Goat Tissues." CWLR 2010, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, April 1956.
- Williams, R. B. "Retardation of the 225 Grain Steel Cube by Clothing and Goat Tissue." CWLR 2398, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, May 1960.
- Williams, R. B. "Ballistic Studies in Eye Protection." CRDLR 3194, U.S. Army Chemical Research and Development Laboratory, Aberdeen Proving Ground, MD, November 1963.
- Winter, J., and D. Shifler. "The Material Properties of Gelatin Gel." Marvalaud, Inc., BRL Contract Report No. 217, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, March 1975.
- Wise, S., and G. Beichler. "Effectiveness of the 90-mm M71 and T91 Projectiles Against Personnel." BRL-TN-1039, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1955.
- Worthley, E. G. "Antipersonnel Effectiveness of LaCross-Type Warheads Against Reinforced Concrete Pill Boxes." CWLR 2168, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, September 1957.
- Worthley, E. G. "Wound Ballistics of the 2.1 Grain Steel Cube Preformed Fragment." CWLR 2099, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, May 1957.
- Worthley, E. G. "Wound Ballistics of the 225 Grain Steel Preformed Fragment." CWLR 2234, U.S. Army Chemical Warfare Laboratory, Aberdeen Proving Ground, MD, August 1958.

Wortman, J. "Machine Computation of Probability of Incapacitating a Man by a Small Projectile." BRL-1140, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1961.

Wright, W. P. "Armored Vehicle Crew Casualties." BRL-MR-03053, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, August 1980.

Zook, J. "An Analytical Model of Kinetic Energy Projectile/Fragment Penetration." BRL-MR-2797, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1977.

INTENTIONALLY LEFT BLANK.



No. of Copies	Organization	No. of Copies	Organization
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Commander U.S. Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander U.S. Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001	1	Commander U.S. Army Tank-Automotive Command ATTN: ASQNC-TAC-DIT (Technical Information Center) Warren, MI 48397-5000
1	Commander U.S. Army Laboratory Command ATTN: AMSLC-DL 2800 Powder Mill Road Adelphi, MD 20783-1145	1	Director U.S. Army TRADOC Analysis Command ATTN: ATRC-WSR White Sands Missile Range, NM 88002-5502
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000	1	Commandant U.S. Army Field Artillery School ATTN: ATSF-CSI Ft. Sill, OK 73503-5000
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	(Class. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
1	Director Benet Weapons Laboratory U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050	(Unclass. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5660
(Unclass. only) 1	Commander U.S. Army Armament, Munitions and Chemical Command ATTN: AMSMC-IMF-L Rock Island, IL 61299-5000	1	Air Force Armament Laboratory ATTN: WL/MNOI Eglin AFB, FL 32542-5000
1	Director U.S. Army Aviation Research and Technology Activity ATTN: SAVRT-R (Library) M/S 219-3 Ames Research Center Moffett Field, CA 94035-1000		<u>Aberdeen Proving Ground</u>
		2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
		1	Cdr, USATECOM ATTN: AMSTE-TC
		3	Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-MSI
		1	Dir, VLAMO ATTN: AMSLC-VL-D
		10	Dir, BRL ATTN: SLCBR-DD-T

No. of  
Copies

Organization

Aberdeen Proving Ground

2 Commander  
US Army Armament Research, Development,  
and Engineering Center  
ATTN: SMCAR-CCJ(ACR) (V. Shisler)  
SMCAA-CCL-SD (D. Conway)  
Picatinny Arsenal, NJ 07806-5000

Dir, USAMSAA  
ATTN: AMXSY-G (L. deLattre)  
AMXSY-G (D. Querido)

Cdr, CRDEC, AMCCOM  
ATTN: SMCCR-RSP-C (L. Sturdivan)

1 Commander  
US Army Laboratory Command  
ATTN: AMSLC-TP (I. Bartky)  
Adelphi, MD 20783-1145

Dir, USAHEL  
ATTN: SLCHE-BR (J. Torre)

1 HQDA  
Office of the Judge Advocate General  
ATTN: DAJA-IA (W. Hays Parks)  
Washington, DC 20310-2200

1 National Institute of Justice  
US Department of Justice  
ATTN: John Whidden  
833 Indiana Ave., N.W.  
Washington, DC 20531

1 US Department of Commerce  
NIST-LESL  
ATTN: Daniel E. Frank  
Gaithersburg, MD 20899

1 US Secret Service  
ATTN: Bernard M. Augustyn  
9200 Powder Mill Road R-2  
Laurel, MD 20707

2 Commander  
US Army Natick RD&E Center  
ATTN: STRNC-ITFR (J. Ward)  
STRNC-ICAA (C. Mooney)  
Natick, MA 01760-5019

1 Clin-Path Associates, P.C.  
ATTN: Bruce D Ragsdale, M.D.  
1500 South Dobson Road  
Suite 217  
Mesa, AZ 85202

## USER EVALUATION SHEET/CHANGE OF ADDRESS

This laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers below will aid us in our efforts.

1. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) \_\_\_\_\_

\_\_\_\_\_

2. How, specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) \_\_\_\_\_

\_\_\_\_\_

3. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. \_\_\_\_\_

\_\_\_\_\_

4. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) \_\_\_\_\_

\_\_\_\_\_

BRL Report Number BRL-MR-3929 Division Symbol \_\_\_\_\_

Check here if desire to be removed from distribution list. \_\_\_\_\_

Check here for address change. \_\_\_\_\_

Current address: Organization \_\_\_\_\_  
Address \_\_\_\_\_

### DEPARTMENT OF THE ARMY

Director  
U.S. Army Ballistic Research Laboratory  
ATTN: SLCBR-DD-T  
Aberdeen Proving Ground, MD 21005-5066

OFFICIAL BUSINESS

**BUSINESS REPLY MAIL**

FIRST CLASS PERMIT No 0001, APG, MD

Postage will be paid by addressee.

Director  
U.S. Army Ballistic Research Laboratory  
ATTN: SLCBR-DD-T  
Aberdeen Proving Ground, MD 21005-5066



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

